

<b>Outcome Framework</b>	<b>Indicator ID</b>	<b>Indicator Name</b>
NHS Outcomes Framework	1b	Life expectancy at 75
NHS Outcomes Framework	1.1	Under 75 mortality rate from cardiovascular disease
NHS Outcomes Framework	1.2	Under 75 mortality rate from respiratory disease
NHS Outcomes Framework	1.3	Under 75 mortality rate from liver disease
NHS Outcomes Framework	1.6.i	Infant mortality
NHS Outcomes Framework	1.6.ii	Neonatal mortality and stillbirths
NHS Outcomes Framework	2.2	Employment of people with long-term conditions
NHS Outcomes Framework	2.3.i	Unplanned hospitalisation for chronic ambulatory care sensitive conditions (adults)
NHS Outcomes Framework	2.3.ii	Unplanned hospitalisation for asthma, diabetes and epilepsy in under 19s
NHS Outcomes Framework	2.5	Employment of people with mental illness
NHS Outcomes Framework	3a	Emergency admissions for acute conditions that should not usually require hospital admission
NHS Outcomes Framework	3.1	Patient reported outcomes measures for elective procedures
NHS Outcomes Framework	3.2	Emergency admissions for children with lower respiratory tract infections
NHS Outcomes Framework	4b	Patient experience of hospital care
NHS Outcomes Framework	4.1	Patient experience of outpatient services
NHS Outcomes Framework	4.2	Responsiveness to inpatients' personal needs
NHS Outcomes Framework	4.3	Patient experience of A&E services
NHS Outcomes Framework	4.5	Women's experience of maternity services
NHS Outcomes Framework	5a	Patient safety incident reporting
NHS Outcomes Framework	5b	Severity of harm
NHS Outcomes Framework	5.2.i	Incidence of healthcare-associated infection - MRSA
NHS Outcomes Framework	5.2.ii	Incidence of healthcare-associated infection - C. difficile
NHS Outcomes Framework	5.4	Incidence of medication errors causing serious harm
NHS Outcomes Framework	5.5	Admission of full-term babies to neonatal care
NHS Outcomes Framework	1.4.vii	Under 75 mortality rate from cancer
NHS Outcomes Framework	4.7	Patient experience of community mental health services
NHS Outcomes Framework	3b	Emergency readmissions within 30 days of discharge from hospital
NHS Outcomes Framework	1.5	Excess under 75 mortality rate in adults with serious mental illness
NHS Outcomes Framework	1a	Potential Years of Life Lost (PYLL) from causes considered amenable to healthcare
NHS Outcomes Framework	2.6.i	Estimated diagnosis rate for people with dementia
NHS Outcomes Framework	3.6.i	Proportion of Older People (65 and over) who were still at home 91 days after discharge from hospital into reablement/rehabilitation services
NHS Outcomes Framework	3.6.ii	Proportion of Older People (65 and over) who were offered rehabilitation following discharge from acute or community hospital
NHS Outcomes Framework	4a.i	Patient experience of GP services
NHS Outcomes Framework	4a.ii	Patient experience of GP out of hours services
NHS Outcomes Framework	4a.iii	Patient experience of Dental services
NHS Outcomes Framework	4.4.i	Access to GP services

NHS Outcomes Framework	4.4.ii	Access to NHS dental services
NHS Outcomes Framework	4.6	Improving the experience of care for people at the end of their lives
NHS Outcomes Framework	5.6	Incidence of harm to children due to 'failure to monitor'
NHS Outcomes Framework	3.5.i	The proportion of patients with fragility fractures recovering to their previous levels of mobility / walking ability at 30 days
NHS Outcomes Framework	3.5.ii	The proportion of patients with fragility fractures recovering to their previous levels of mobility / walking ability at 120 days
NHS Outcomes Framework	1a.ii	Potential years of life lost (PYLL) from causes considered amenable to healthcare - Children and young people
NHS Outcomes Framework	1a.i	Potential years of life lost (PYLL) from causes considered amenable to healthcare - Adults
NHS Outcomes Framework	2 H	Health-related quality of life for people with long-term conditions
NHS Outcomes Framework	2.1	Proportion of people feeling supported to manage their condition
NHS Outcomes Framework	2.4	Health-related quality of life for carers
NHS Outcomes Framework	1.4.i	One-year survival from all cancers
NHS Outcomes Framework	1.4.ii	Five-year survival from all cancers
NHS Outcomes Framework	1.4.iii	One-year survival from breast, lung and colorectal cancer
NHS Outcomes Framework	1.4.iv	Five-year survival from breast, lung and colorectal cancer
NHS Outcomes Framework	1.6.iii	Five year survival from all cancers in children
NHS Outcomes Framework	5.1	Deaths from venous thromboembolism (VTE) related events within 90 days post discharge from hospital
Adult Social Care Outcome Framework	1A	Social care-related quality of life
Adult Social Care Outcome Framework	1B	Proportion of people who use services who have control over their daily life
Adult Social Care Outcome Framework	1C	Proportion of people using social care who receive self-directed support, and those receiving direct payments
Adult Social Care Outcome Framework	1D	Carer-reported quality of life
Adult Social Care Outcome Framework	1E	Proportion of adults with learning disabilities in paid employment
Adult Social Care Outcome Framework	1F	Proportion of adults in contact with secondary mental health services in paid employment
Adult Social Care Outcome Framework	1G	Proportion of adults with learning disabilities who live in their own home or with their family
Adult Social Care Outcome Framework	1H	Proportion of adults in contact with secondary mental health services who live independently, with or without support
Adult Social Care Outcome Framework	1I	Proportion of people who use services and their carers, who reported that they have as much social contact as they would like.
Adult Social Care Outcome Framework	2A	Permanent admissions to residential and nursing care homes, per 100,000 population
Adult Social Care Outcome Framework	2B	Proportion of older people (65 and over) who were still at home 91 days after discharge from hospital into reablement/rehabilitation services

Adult Social Care Outcome Framework	2C	Delayed transfers of care from hospital, and those which are attributable to adult social care
Adult Social Care Outcome Framework	3A	Overall satisfaction of people who use services with their care and support
Adult Social Care Outcome Framework	3B	Overall satisfaction of carers with social services
Adult Social Care Outcome Framework	3C	Proportion of carers who report that they have been included or consulted in discussion about the person they care for
Adult Social Care Outcome Framework	3D	Proportion of people who use services and carers who find it easy to find information about services
Adult Social Care Outcome Framework	4A	Proportion of people who use services who feel safe
Adult Social Care Outcome Framework	4B	Proportion of people who use services who say that those services have made them feel safe and secure
Public Health Outcomes Framework	0.1i	Healthy life expectancy at birth
Public Health Outcomes Framework	0.1ii	Life Expectancy at birth
Public Health Outcomes Framework	0.1ii	Life Expectancy at 65
Public Health Outcomes Framework	0.2iii	Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area
Public Health Outcomes Framework	0.2iv	Gap in life expectancy at birth between each local authority and England as a whole
Public Health Outcomes Framework	1.01i	Children in poverty (all dependent children under 20)
Public Health Outcomes Framework	1.01ii	Children in poverty (under 16s)
Public Health Outcomes Framework	1.02i	School Readiness: The percentage of children achieving a good level of development at the end of reception
Public Health Outcomes Framework	1.02i	School Readiness: The percentage of children with free school meal status achieving a good level of development at the end of reception
Public Health Outcomes Framework	1.02ii	School Readiness: The percentage of Year 1 pupils achieving the expected level in the phonics screening check
Public Health Outcomes Framework	1.02ii	School Readiness: The percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check
Public Health Outcomes Framework	1.03	Pupil absence
Public Health Outcomes Framework	1.04	First time entrants to the youth justice system

Public Health Outcomes Framework	1.05	16-18 year olds not in education employment or training
Public Health Outcomes Framework	1.06i	Adults with a learning disability who live in stable and appropriate accommodation
Public Health Outcomes Framework	1.06ii	% of adults in contact with secondary mental health services who live in stable and appropriate accommodation
Public Health Outcomes Framework	1.08i	Gap in the employment rate between those with a long-term health condition and the overall employment rate
Public Health Outcomes Framework	1.08ii	Gap in the employment rate between those with a learning disability and the overall employment rate
Public Health Outcomes Framework	1.08iii	Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate
Public Health Outcomes Framework	1.09i	Sickness absence - The percentage of employees who had at least one day off in the previous week
Public Health Outcomes Framework	1.09ii	Sickness absence - The percent of working days lost due to sickness absence
Public Health Outcomes Framework	1.1	Killed and seriously injured (KSI) casualties on England's roads
Public Health Outcomes Framework	1.11	Domestic Abuse
Public Health Outcomes Framework	1.12i	Violent crime (including sexual violence) - hospital admissions for violence
Public Health Outcomes Framework	1.12ii	Violent crime (including sexual violence) - violence offences per 1,000 population
Public Health Outcomes Framework	1.12iii	Violent crime (including sexual violence) - Rate of sexual offences per 1,000 population
Public Health Outcomes Framework	1.13i	Re-offending levels percentage of offenders who reoffend
Public Health Outcomes Framework	1.13ii	Re-offending levels - average number of re-offences
Public Health Outcomes Framework	1.14i	The rate of complaints about noise
Public Health Outcomes Framework	1.14ii	The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime
Public Health Outcomes Framework	1.14iii	The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time
Public Health Outcomes Framework	1.15i	Statutory homelessness - homelessness acceptances
Public Health Outcomes Framework	1.15ii	Statutory homelessness - households in temporary accommodation

Public Health Outcomes Framework	1.16	Utilisation of outdoor space for exercise/health reasons
Public Health Outcomes Framework	1.17	Fuel Poverty
Public Health Outcomes Framework	1.18i	Social Isolation: % of adult social care users who have as much social contact as they would like
Public Health Outcomes Framework	1.18ii	Social Isolation: % of adult carers who have as much social contact as they would like
Public Health Outcomes Framework	2.01	Low birth weight of term babies
Public Health Outcomes Framework	2.02i	Breastfeeding - Breastfeeding initiation
Public Health Outcomes Framework	2.02ii	Breastfeeding - Breastfeeding prevalence at 6 - 8 weeks after birth
Public Health Outcomes Framework	2.03	Smoking status at time of delivery
Public Health Outcomes Framework	2.04	Under 18 conceptions
Public Health Outcomes Framework	2.04	Under 18 conceptions: conceptions in those aged under 16
Public Health Outcomes Framework	2.06i	Excess weight in 4-5 and 10 - 11 year olds
Public Health Outcomes Framework	2.06ii	Excess weight in 4-5 and 10 - 11 year olds
Public Health Outcomes Framework	2.07i	Hospital admissions caused by unintentional and deliberate injuries in children (aged 0 - 14 years)
Public Health Outcomes Framework	2.07i	Hospital admissions caused by unintentional and deliberate injuries in children (aged 0 - 4 years)
Public Health Outcomes Framework	2.07ii	Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15 - 24 years)
Public Health Outcomes Framework	2.08	Emotional well-being of looked after children
Public Health Outcomes Framework	2.12	Excess Weight in Adults
Public Health Outcomes Framework	2.13i	Percentage of physically active and inactive adults - active adults
Public Health Outcomes Framework	2.13ii	Percentage of active and inactive adults - inactive adults
Public Health Outcomes Framework	2.14	Smoking Prevalence

Public Health Outcomes Framework	2.14	Smoking prevalence - routine & manual
Public Health Outcomes Framework	2.15i	Successful completion of drug treatment - opiate users
Public Health Outcomes Framework	2.15ii	Successful completion of drug treatment - non opiate users
Public Health Outcomes Framework	2.16	People entering prison with substance dependence issues who are previously not known to community treatment
Public Health Outcomes Framework	2.17	Recorded diabetes
Public Health Outcomes Framework	2.18	Alcohol related admissions to hospital
Public Health Outcomes Framework	2.19	Cancer diagnosed at early stage (Experimental Statistics)
Public Health Outcomes Framework	2.20i	Cancer screening coverage - breast cancer
Public Health Outcomes Framework	2.20ii	Cancer screening coverage - cervical cancer
Public Health Outcomes Framework	2.21vii	Access to non-cancer screening programmes - diabetic retinopathy
Public Health Outcomes Framework	2.22iii	Cumulative % of the eligible population aged 40-74 offered an NHS Health Check
Public Health Outcomes Framework	2.22iv	Cumulative % of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check
Public Health Outcomes Framework	2.22v	Cumulative % of the eligible population aged 40-74 who received an NHS Health check
Public Health Outcomes Framework	2.23i	Self-reported well - being
Public Health Outcomes Framework	2.23ii	Self-reported well - being
Public Health Outcomes Framework	2.23iii	Self-reported well - being
Public Health Outcomes Framework	2.23iv	Self-reported well - being
Public Health Outcomes Framework	2.24i	Injuries due to falls in people aged 65 and over (Persons)
Public Health Outcomes Framework	2.24i	Injuries due to falls in people aged 65 and over (males/females)
Public Health Outcomes Framework	2.24ii	Injuries due to falls in people aged 65 and over - aged 65 - 79

Public Health Outcomes Framework	2.24iii	Injuries due to falls in people aged 65 and over - aged 80+
Public Health Outcomes Framework	3.01	Fraction of mortality attributable to particulate air pollution
Public Health Outcomes Framework	3.02i	Chlamydia screening detection rate (15-24 year olds) - old ncmp data
Public Health Outcomes Framework	3.02ii	Chlamydia detection rate (15-24 year olds) - CTAD
Public Health Outcomes Framework	3.03i	Population vaccination coverage - Hepatitis B (1 year old)
Public Health Outcomes Framework	3.03i	Population vaccination coverage - Hepatitis B (2 years old)
Public Health Outcomes Framework	3.03iii	Population vaccination coverage - Dtap / IPV / Hib (1 year old)
Public Health Outcomes Framework	3.03iii	Population vaccination coverage - Dtap / IPV / Hib (2 years old)
Public Health Outcomes Framework	3.03iv	Population vaccination coverage - MenC
Public Health Outcomes Framework	3.03v	Population vaccination coverage - PCV
Public Health Outcomes Framework	3.03vi	Population vaccination coverage - Hib / MenC booster (2 years old)
Public Health Outcomes Framework	3.03vi	Population vaccination coverage - Hib / Men C booster (5 years)
Public Health Outcomes Framework	3.03vii	Population vaccination coverage - PCV booster
Public Health Outcomes Framework	3.03viii	Population vaccination coverage - MMR for one dose (2 years old)
Public Health Outcomes Framework	3.03ix	Population vaccination coverage - MMR for one dose (5 years old)
Public Health Outcomes Framework	3.03x	Population vaccination coverage - MMR for two doses (5 years old)
Public Health Outcomes Framework	3.03xii	Population vaccination coverage - HPV
Public Health Outcomes Framework	3.03xiii	Population vaccination coverage - PPV
Public Health Outcomes Framework	3.03xiv	Population vaccination coverage - Flu (aged 65+)
Public Health Outcomes Framework	3.03xv	Population vaccination coverage - Flu (at risk individuals)

Public Health Outcomes Framework	3.04	People presenting with HIV at a late stage of infection
Public Health Outcomes Framework	3.05i	Treatment completion for TB
Public Health Outcomes Framework	3.05ii	Incidence of TB
Public Health Outcomes Framework	3.06	NHS organisations with a board approved sustainable development management plan
Public Health Outcomes Framework	4.01	Infant mortality
Public Health Outcomes Framework	4.02	Tooth decay in children aged 5
Public Health Outcomes Framework	4.03	Mortality rate from causes considered preventable
Public Health Outcomes Framework	4.04i	Under 75 mortality rate from all cardiovascular diseases
Public Health Outcomes Framework	4.04ii	Under 75 mortality rate from cardiovascular diseases considered preventable
Public Health Outcomes Framework	4.05i	Under 75 mortality rate from cancer
Public Health Outcomes Framework	4.05ii	Under 75 mortality rate from cancer considered preventable
Public Health Outcomes Framework	4.06i	Under 75 mortality rate from liver disease
Public Health Outcomes Framework	4.06ii	Under 75 mortality rate from liver disease considered preventable
Public Health Outcomes Framework	4.07i	Under 75 mortality rate from respiratory disease
Public Health Outcomes Framework	4.07ii	Under 75 mortality rate from respiratory disease considered preventable
Public Health Outcomes Framework	4.08	Mortality from communicable diseases
Public Health Outcomes Framework	4.09	Excess under 75 mortality rate in adults with serious mental illness
Public Health Outcomes Framework	4.1	Suicide rate
Public Health Outcomes Framework	4.11	Emergency readmissions within 30 days of discharge from hospital
Public Health Outcomes Framework	4.12i	Preventable sight loss - age related macular degeneration (AMD)



Public Health Outcomes Framework	4.12ii	Preventable sight loss - glaucoma
Public Health Outcomes Framework	4.12iii	Preventable sight loss - diabetic eye disease
Public Health Outcomes Framework	4.12iv	Preventable sight loss - sight loss certifications
Public Health Outcomes Framework	4.13	Health related quality of life for older people
Public Health Outcomes Framework	4.14i	Hip fractures in people aged 65 and over
Public Health Outcomes Framework	4.14ii	Hip fractures in people aged 65 and over - aged 65
Public Health Outcomes Framework	4.14iii	Hip fractures in people aged 65 and over - aged 80+
Public Health Outcomes Framework	4.15i	Excess Winter Deaths Index (Single year, all ages)
Public Health Outcomes Framework	4.15ii	Excess Winter Deaths Index (single year, ages 85+)
Public Health Outcomes Framework	4.15iii	Excess Winter Deaths Index (3 years, all ages)
Public Health Outcomes Framework	4.15iv	Excess Winter Deaths Index (3 years, ages 85+)